



























































Picture	Code	Specification	Power	Lumen	CRI	Beam Angle	Color Temp	Base	Lamp Size		Body Material
									D	L	
LED FILAMENT											
	55.8281-2W	C35 LED filament, clear	2W	200lm	>80	360°	2700-6500K	E14/E27	35	98	Glass
	55.8281-4W	C35 LED filament, clear	4W	400lm	>80	360°	2700-6500K	E14/E27	35	98	Glass
	55.8282-2W	CT35, LED filament, clear	2W	200lm	>80	360°	2700-6500K	E14/E27	35	120	Glass
	55.8282-4W	CT35 LED filament, clear	4W	400lm	>80	360°	2700-6500K	E14/E27	35	120	Glass
	55.8283-2W	P45 LED filament, clear	2W	200lm	>80	360°	2700-6500K	E14/E27	45	80	Glass
	55.8283-4W	P45 LED filament, clear	4W	400lm	>80	360°	2700-6500K	E14/E27	45	80	Glass
	55.8284-2W	G45 LED filament, clear	2W	200lm	>80	360°	2700-6500K	E14/E27	45	75	Glass
	55.8284-4W	G45 LED filament, clear	4W	400lm	>80	360°	2700-6500K	E27/E26	45	75	Glass
	55.8285-4W	A60 LED filament, clear	4W	400lm	>80	360°	2700-6500K	E27/E26	60	108	Glass
	55.8285-6W	A60 LED filament, clear	6W	600lm	>80	360°	2700-6500K	E27/E26	60	108	Glass
	55.8285-8W	A60 LED filament, clear	8W	800lm	>80	360°	2700-6500K	E27/E26	60	108	Glass
	55.8285-10W	A60 LED filament, clear	10W	1000lm	>80	360°	2700-6500K	E27/E26	60	108	Glass
	55.8586-4W	ST64 LED filament, clear	4W	400lm	>80	360°	2700-6500K	E27/E26	64	137	Glass
	55.8586-6W	ST64 LED filament, clear	6W	600lm	>80	360°	2700-6500K	E27/E26	64	137	Glass
	55.8586-8W	ST64 LED filament, clear	8W	800lm	>80	360°	2700-6500K	E27/E26	64	137	Glass
	55.8586-10W	ST64 LED filament, clear	10W	1000lm	>80	360°	2700-6500K	E27/E26	64	137	Glass
	55.8587-2W	T25 LED filament, clear	2W	220lm	>80	360°	2700-6500K	E14	25	83	Glass
	55.8587-4W	T25 LED filament, clear	4W	440lm	>80	360°	2700-6500K	E14	25	83	Glass
	55.8588-2W	T32 LED filament, clear	2W	220lm	>80	360°	2700-6500K	E14	32	127.5	Glass
	55.8588-4W	T32 LED filament, clear	4W	440lm	>80	360°	2700-6500K	E14	32	127.5	Glass
	55.8571-4W	G80 LED filament, clear	4W	400lm	>80	360°	2700-6500K	E27/E26	80	121	Glass
	55.8571-6W	G80 LED filament, clear	6W	600lm	>80	360°	2700-6500K	E27/E26	80	121	Glass
	55.8571-8W	G80 LED filament, clear	8W	800lm	>80	360°	2700-6500K	E27/E26	80	121	Glass
	55.8571-10W	G80 LED filament, clear	10W	1000lm	>80	360°	2700-6500K	E27/E26	80	121	Glass
	55.8572-4W	G95 LED filament, clear	4W	400lm	>80	360°	2700-6500K	E27/E26	95	138	Glass
	55.8572-6W	G95 LED filament, clear	6W	600lm	>80	360°	2700-6500K	E27/E26	95	138	Glass
	55.8572-8W	G95 LED filament, clear	8W	800lm	>80	360°	2700-6500K	E27/E26	95	138	Glass
	55.8572-10W	G95 LED filament, clear	10W	1000lm	>80	360°	2700-6500K	E27/E26	95	138	Glass
	55.8573-4W	G125 LED filament, clear	4W	400lm	>80	360°	2700-6500K	E27/E26	125	174	Glass
	55.8573-6W	G125 LED filament, clear	6W	600lm	>80	360°	2700-6500K	E27/E26	125	174	Glass
	55.8573-8W	G125 LED filament, clear	8W	800lm	>80	360°	2700-6500K	E27/E26	125	174	Glass
	55.8573-10W	G125 LED filament, clear	10W	1000lm	>80	360°	2700-6500K	E27/E26	125	174	Glass
	55.8281G-2W	C35 LED filament amber	2W	220lm	>80	360°	2700-6500K	E14/E27	35	98	Glass
	55.8281G-4W	C35 LED filament amber	4W	440lm	>80	360°	2700-6500K	E14/E27	35	98	Glass
	55.8282G-2W	CT35 LED filament amber	2W	220lm	>80	360°	2700-6500K	E14/E27	35	120	Glass
	55.8282G-4W	CT35 LED filament amber	4W	440lm	>80	360°	2700-6500K	E14/E27	35	120	Glass
	55.8283G-2W	P45 LED filament amber	2W	220lm	>80	360°	2700-6500K	E14/E27	45	80	Glass
	55.8283G-4W	P45 LED filament amber	4W	440lm	>80	360°	2700-6500K	E14/E27	45	80	Glass
	55.8284G-2W	G45 LED filament amber	2W	220lm	>80	360°	2700-6500K	E27/E26	45	75	Glass
	55.8284G-4W	G45 LED filament amber	4W	440lm	>80	360°	2700-6500K	E27/E26	45	75	Glass
	55.8285G-4W	A60 LED filament, amber	4W	440lm	>80	360°	2700-6500K	E27/E26	60	108	Glass
	55.8285G-6W	A60 LED filament, amber	6W	660lm	>80	360°	2700-6500K	E27/E26	60	108	Glass
	55.8285G-8W	A60 LED filament, amber	8W	800lm	>80	360°	2700-6500K	E27/E26	60	108	Glass

	55.8285G-10W	A60 LED filament, amber	10W	1000lm	>80	360°	2700-6500K	E27/E26	60	108	Glass
	55.8586G-4W	ST64 LED filament, amber	4W	400lm	>80	360°	2700-6500K	E27/E26	64	137	Glass
	55.8586G-6W	ST64 LED filament, amber	6W	600lm	>80	360°	2700-6500K	E27/E26	64	137	Glass
	55.8586G-8W	ST64 LED filament, amber	8W	800lm	>80	360°	2700-6500K	E27/E26	64	137	Glass
	55.8586G-10W	ST64 LED filament, amber	10W	1000lm	>80	360°	2700-6500K	E27/E26	64	137	Glass
	55.8588G-2W	T32 LED filament amber	2W	220lm	>80	360°	2700-6500K	E27/E26	32	127.5	Glass
	55.8588G-4W	T32 LED filament amber	4W	440lm	>80	360°	2700-6500K	E27/E26	32	127.5	Glass
	55.8589G-2W	T45 LED filament amber	2W	220lm	>80	360°	2700-6500K	E27/E26	45	107	Glass
	55.8589G-4W	T45 LED filament amber	4W	440lm	>80	360°	2700-6500K	E27/E26	45	107	Glass
	55.8571G-4W	G80 LED filament amber	4W	400lm	>80	360°	2700-6500K	E27/E26	80	121	Glass
	55.8571G-6W	G80 LED filament amber	6W	600lm	>80	360°	2700-6500K	E27/E26	80	121	Glass
	55.8571G-8W	G80 LED filament amber	8W	800lm	>80	360°	2700-6500K	E27/E26	80	121	Glass
	55.8571G-10W	G80 LED filament amber	10W	1000lm	>80	360°	2700-6500K	E27/E26	80	121	Glass
	55.8572G-4W	G95 LED filament amber	4W	400lm	>80	360°	2700-6500K	E27/E26	95	138	Glass
	55.8572G-6W	G95 LED filament amber	6W	600lm	>80	360°	2700-6500K	E27/E26	95	138	Glass
	55.8572G-8W	G95 LED filament amber	8W	800lm	>80	360°	2700-6500K	E27/E26	95	138	Glass
	55.8572G-10W	G95 LED filament amber	10W	1000lm	>80	360°	2700-6500K	E27/E26	95	138	Glass
	55.8573G-4W	G125 LED filament amber	4W	400lm	>80	360°	2700-6500K	E27/E26	125	174	Glass
	55.8573G-6W	G125 LED filament amber	6W	600lm	>80	360°	2700-6500K	E27/E26	125	174	Glass
	55.8573G-8W	G125 LED filament amber	8W	800lm	>80	360°	2700-6500K	E27/E26	125	174	Glass
	55.8573G-10W	G125 LED filament amber	10W	1000lm	>80	360°	2700-6500K	E27/E26	125	174	Glass
	55.8235B-5W	C37 led candle with flame	5W	400lm	>80	220°	2700-6500K	E14/E27	37	110	PC+Aluminum
	55.8235B-6W	C37 led candle with flame	6W	480lm	>80	220°	2700-6500K	E14/E27	37	110	PC+Aluminum
	55.8236B-5W	CT37 led candle tip with flame	5W	400lm	>80	220°	2700-6500K	E14/E27	37	130	PC+Aluminum
	55.8236B-6W	CT37 led candle tip with flame	6W	480lm	>80	220°	2700-6500K	E14/E27	37	130	PC+Aluminum
	55.8238B-5W	P45 mini led bulb with flame	5W	400lm	>80	220°	2700-6500K	E14/E27	45	80	PC+Aluminum
	55.8238B-6W	P45 mini led bulb with flame	6W	480lm	>80	220°	2700-6500K	E14/E27	45	80	PC+Aluminum
	55.8240B-5W	G45 mini led bulb with flame	5W	400lm	>80	220°	2700-6500K	E14/E27	45	78	PC+Aluminum
	55.8240B-6W	G45 mini led bulb with flame	6W	480lm	>80	220°	2700-6500K	E14/E27	45	78	PC+Aluminum
	55.6210-5W	C37 LED candle	5W	400lm	>80	220°	2700-6500K	E14/E27	37	110	PC + Aluminum
	55.6210-6W	C37 LED candle	6W	480lm	>80	220°	2700-6500K	E14/E27	37	110	PC + Aluminum
	55.6212-5W	CT37 LED candle with tip	5W	400lm	>80	220°	2700-6500K	E14/E27	37	120	PC + Aluminum
	55.6212-6W	CT37 LED candle with tip	6W	480lm	>80	220°	2700-6500K	E14/E27	37	120	PC + Aluminum
	55.6213-5W	P45 LED mini globe	5W	400lm	>80	220°	2700-6500K	E14/E27	45	80	PC + Aluminum
	55.6213-6W	P45 LED candle with tip	6W	480lm	>80	220°	2700-6500K	E14/E27	45	80	PC + Aluminum
	55.6214-5W	G45 LED mini globe	5W	400lm	>80	220°	2700-6500K	E14/E27	45	77	PC + Aluminum
	55.6214-6W	G45 LED mini globe	6W	480lm	>80	220°	2700-6500K	E14/E27	45	77	PC + Aluminum
	55.6210L-7W	C37 LED candle	7W	560lm	>80	220°	2700-6500K	E14/E27	37	106	PC+Aluminum
	55.6213L-8W	C37 LED candle	8W	640lm	>80	220°	2700-6500K	E14/E27	37	106	PC+Aluminum
	55.6212L-7W	CT37 LED candle with tip	7W	560lm	>80	220°	2700-6500K	E14/E27	37	130	PC+Aluminum
	55.6212L-8W	CT37 LED candle with tip	8W	640lm	>80	220°	2700-6500K	E14/E27	37	130	PC+Aluminum
	55.6213L-7W	P45 LED mini globe	7W	560lm	>80	220°	2700-6500K	E14/E27	45	88	PC+Aluminum

	55.6213L-8W	P45 LED candle with tip	8W	640lm	>80	220°	2700-6500K	E14/E27	45	88	PC+Aluminum
	55.6214L-7W	G45 LED mini globe	7W	560lm	>80	220°	2700-6500K	E14/E27	45	88	PC+Aluminum
	55.6214L-8W	G45 LED mini globe	8W	640lm	>80	220°	2700-6500K	E14/E27	45	88	PC+Aluminum
	55.8334-3W	A55 LED bulb	3W	240lm	>80	220°	2700-6500K	E27/E26	55	100	PC + Aluminum
	55.8334-5W	A55 LED bulb	5W	380lm	>80	220°	2700-6500K	E27/E26	55	100	PC + Aluminum
	55.8334-7W	A55 LED bulb	7W	520lm	>80	220°	2700-6500K	E27/E26	55	100	PC + Aluminum
	55.8337-5W	A60 LED bulb	5W	400lm	>80	220°	2700-6500K	E27/E26	60	110	PC + Aluminum
	55.8337-7W	A60 LED bulb	7W	560lm	>80	220°	2700-6500K	E27/E26	60	110	PC + Aluminum
	55.8337-9W	A60 LED bulb	9W	720lm	>80	220°	2700-6500K	E27/E26	60	110	PC + Aluminum
	55.8337-10W	A60 LED bulb	10W	820 lm	>80	220°	2700-6500K	E27/E26	60	110	PC + Aluminum
	55.8337-12W	A60 LED bulb	12W	1050lm	>80	220°	2700-6500K	E27/E26	60	110	Thermal plastic+
	55.6227-12W	A65 LED bulb	12W	1050lm	>80	270°	2700-6500K	E27/E26	65	118	Thermal plastic+Aluminum
	55.6227-15W	A65 LED bulb	15W	1200lm	>80	270°	2700-6500K	E27/E26	65	118	Thermal plastic+Aluminum
	55.6228-15W	A70 LED bulb	15W	1350lm	>80	270°	2700-6500K	E27/E26	70	140	PC+Aluminum
	55.6228-18W	A70 LED bulb	18W	1620lm	>80	270°	2700-6500K	E27/E26	70	140	PC+Aluminum
	55.6229-18W	A80 LED bulb	18W	1600lm	>80	270°	2700-6500K	E27/E26	80	156	PC+Aluminum
	55.6230-24W	A95 LED bulb	24W	2250lm	>80	270°	2700-6500K	E27/E26	95	168	PC+Aluminum
	55.6004-12W	G80 LED Bulb	12W	1050lm	>80	220°	2700-6500K	E27/E26	80	115	PC + Aluminum
	55.6005-12W	G95 LED Bulb	12W	1050lm	>80	220°	2700-6500K	E27/E26	95	135	PC + Aluminum
	55.6005-15W	G95 LED Bulb	15W	1300lm	>80	220°	2700-6500K	E27/E26	95	135	PC + Aluminum
	55.7001-15W	G120 LED Bulb	15W	1300lm	>80	220°	2700-6500K	E27/E26	120	156	PC + Aluminum
	55.7001-18W	G120 LED Bulb	18W	1600lm	>80	220°	2700-6500K	E27/E26	120	156	PC + Aluminum
	55.7001-18W	G120 LED Bulb	20W	1800lm	>80	220°	2700-6500K	E27/E26	120	156	PC + Aluminum
	55.8501-3W	R39/BR14 LED bulb	3W	220lm	>80	105°	2700-6500K	E14	39	70	PC + Aluminum
	55.8501-4W	R39/BR14 LED bulb	4W	280lm	>80	105°	2700-6500K	E14	39	70	PC + Aluminum
	55.8502-5W	R50 /BR16 LED bulb	5W	380lm	>80	105°	2700-6500K	E27/E26	50	88	PC + Aluminum
	55.8502-6W	R50 /BR16 LED bulb	6W	470lm	>80	105°	2700-6500K	E27/E26	50	88	PC + Aluminum

	55.8503-8W	R63 /BR20 LED bulb	8W	580lm	>80	105°	2700-6500K	E27/E26	63	100	PC + Aluminum
	55.8503-9W	R63 /BR20 LED bulb	9W	750lm	>80	105°	2700-6500K	E27/E26	63	100	PC + Aluminum
	55.8504-8W	R80/BR25 LED bulb	8W	660lm	>80	105°	2700-6500K	E27/E26	80	117	PC + Aluminum
	55.8504-10W	R80/BR25 LED bulb	10W	820lm	>80	105°	2700-6500K	E27/E26	80	117	PC + Aluminum
	55.8505-12W	R95/BR30 LED bulb	12W	820lm	>80	105°	2700-6500K	E27/E26	95	137	PC + Aluminum
	55.8505-14W	R95/BR30 LED bulb	14W	1060lm	>80	105°	2700-6500K	E27/E26	95	137	PC + Aluminum
	55.8505-16W	R95/BR30 LED bulb	16W	1260lm	>80	105°	2700-6500K	E27/E26	95	137	PC + Aluminum
	55.8506-16W	R125/BR40 LED bulb	16W	1060lm	>80	105°	2700-6500K	E27/E26	125	173	PC + Aluminum
	55.8506-18W	R125/BR40 LED bulb	18W	1260lm	>80	105°	2700-6500K	E27/E26	125	173	PC + Aluminum
	55.8506-20W	R125/BR40 LED bulb	20W	1400lm	>80	105°	2700-6500K	E27/E26	125	173	PC + Aluminum
	55.8506-24W	R125/BR40 LED bulb	24W	1900lm	>80	105°	2700-6500K	E27/E26	125	173	PC + Aluminum
	55.6261-5W	MR16 LED spot light	5W	380lm	>80	120°	2700-6500K	GU5.3	50	50	PC + Aluminum
	55.6261-6W	MR16 LED spot light	6W	480lm	>80	120°	2700-6500K	GU5.3	50	50	PC + Aluminum
	55.6261-7W	MR16 LED spot light	7W	560lm	>80	120°	2700-6500K	GU5.3	50	50	PC + Aluminum
	55.6262-5W	GU10 LED spot light	5W	380lm	>80	120°	2700-6500K	GU10	50	56	PC + Aluminum
	55.6262-6W	GU10 LED spot light	6W	480lm	>80	120°	2700-6500K	GU10	50	56	PC + Aluminum
	55.6262-7W	GU10 LED spot light	7W	560lm	>80	120°	2700-6500K	GU10	50	56	PC + Aluminum
	55.6241-5W	MR16 LED spot light	5W	380lm	>80	38°	2700-6500K	GU5.3	50	47	PC+Aluminum
	55.6241-6W	MR16 LED spot light	6W	480lm	>80	38°	2700-6500K	GU5.3	50	47	PC+Aluminum
	55.6241-7W	MR16 LED spot light	7W	560lm	>80	38°	2700-6500K	GU5.3	50	47	PC+Aluminum
	55.6243-5W	GU10 LED spot light	5W	380lm	>80	38°	2700-6500K	GU10	50	54	PC+Aluminum
	55.6243-6W	GU10 LED spot light	6W	480lm	>80	38°	2700-6500K	GU10	50	54	PC+Aluminum
	55.6243-7W	GU10 LED spot light	7W	560lm	>80	38°	2700-6500K	GU10	50	54	PC+Aluminum
	55.8452-7W	MR16 LED spot light	7W	560lm	>80	25°/38°/65°	2700-6500K	GU5.3	50	47	Dia cust-aluminum
	55.8452-9W	MR16 LED spot light	9W	810lm	>80	25°/38°/65°	2700-6500K	GU5.3	50	47	Dia cust-aluminum
	55.8454-7W	GU10 LED spot light	7W	560lm	>80	25°/38°/65°	2700-6500K	GU10	50	54	Dia cust-aluminum
	55.8454-9W	GU10 LED spot light	9W	810lm	>80	25°/38°/65°	2700-6500K	GU10	50	54	Dia cust-aluminum
	55.8511-7W	PAR20 LED bulb	7W	560lm	>80	38°	2700-6500K	E27/E26	63.5	82	PC + Aluminum
	55.8512-12W	PAR30 LED bulb	12W	950lm	>80	38°	2700-6500K	E27/E26	95	85	PC + Aluminum
	55.8513-16W	PAR38 LED bulb	16W	1300lm	>80	38°	2700-6500K	E27/E26	121	125	PC + Aluminum
	55.8541-7W	PAR20 LED bulb	7W	500lm	>80	38°	2700-6500K	E27/E26	63	84	PC+Aluminum
	55.8542-11W	PAR30 LED bulb	11W	800lm	>80	38°	2700-6500K	E27/E26	95	112	PC+Aluminum
	55.8543-14W	PAR38 LED bulb IP65	14W	1000lm	>80	38°	2700-6500K	E27/E26	122	133	PC+Aluminum
	55.8543-16W	PAR38 LED bulb IP65	16W	1200lm	>80	38°	2700-6500K	E27/E26	122	133	PC+Aluminum
	55.5001B-60T	T60 10W	10W	800lm	>80	220°	2700-6500K	E27/E26	60	117	PC+Aluminum
	55.5001B-70T	T70 15W	15W	1350lm	>80	220°	2700-6500K	E27/E26	70	129	PC+Aluminum
	55.5004B-80T	T80 20W	20W	1800lm	>80	220°	2700-6500K	E27/E26	80	142	PC+Aluminum

	55.5004B-100T	T100 30W	30W	2400lm	>80	220°	2700-6500K	E27/E26	100	172	PC+Aluminum
	55.5004B-120T	T120 40W	40W	3200lm	>80	220°	2700-6500K	E27/E26	115	202	PC+Aluminum
	55.5004B-140T	T140 50W	50W	4000lm	>80	220°	2700-6500K	E27/E26	135	227	PC+Aluminum
	55.5004B-160T	T160 55W	55W	4500lm	>80	220°	2700-6500K	E27/E26	135	227	PC+Aluminum
	55.5006-80T	T80 20W	20W	2200lm	>80	220°	2700-6500K	E27/E26	80	150	PC+Aluminum
	55.5006-100T	T100 30W	30W	3100lm	>80	220°	2700-6500K	E27/E26	100	170	PC+Aluminum
	55.5006-120T	T120 40W	40W	4500lm	>80	220°	2700-6500K	E27/E26	120	208	PC+Aluminum
	55.5006-120T	T120 50W	50W	4500lm	>80	220°	2700-6500K	E27/E26	120	208	PC+Aluminum
	55.5006-140T	T140 70W	70W	7600lm	>80	220°	2700-6500K	E27/E26	138	243	PC+Aluminum
	55.5006-150T	T150 100W	100W	9000lm	>80	220°	2700-6500K	E27/E26	150	252	PC+Aluminum
	55.5012-15W	UFO Light	15W	1300lm	>80	220°	2700-6500K	E27/E26	150	80	PC+Aluminum
	55.5012-24W	UFO Light	24W	2300lm	>80	220°	2700-6500K	E27/E26	200	80	PC+Aluminum
	55.5012-35W	UFO Light	35W	3000lm	>80	220°	2700-6500K	E27/E26	200	80	PC+Aluminum
	55.5014-30W	UFO led, Aluminum	30W	2400lm	>80	220°	2700-6500K	E27/E26	130	120	Aluminum
	55.5014-50W	UFO led, Aluminum	50W	4000lm	>80	220°	2700-6500K	E27/E26	150	130	Aluminum
	55.5210-50W	LED HIGHBAY 50W	50W	4100lm	>80	180°	2700-6500K	E40/E27	145	215	Thermal plastic+Aluminum
	55.5210-80W	LED HIGHBAY 80W	80W	6100lm	>80	180°	2700-6500K	E40/E27	170	225	Thermal plastic+Aluminum
	55.5210-100W	LED HIGHBAY 100W	100W	8100lm	>80	180°	2700-6500K	E40/E27	190	142	Thermal plastic+Aluminum
	55.8597	C7 colored bulb red/blue/green	0.5W		>80	120°	R/G/B/Y	E27/E26	22.5/29.5	54/74	PC
	55.8598-1W	G45 LED colored bulb red/blue/green	1W		>80	120°	R/G/B/Y	E27/E26	45	66	PC
	55.8598-2W	G45 LED colored bulb red/blue/green	2W		>80	120°	R/G/B/Y	E27/E26	45	66	PC
	55.8830-9W	A60 LED colored bulb red/blue/green	9W		>80	220°	R/G/B/Y	E27/E26	60	110	PC+Aluminum

	55.8831-6W	PAR38 LED red/blue/green/yellow	6W	/	>80	120°	R/G/B/Y	E27/E26	122	133	PC+Aluminum
	55.2045-3W	LED FLAME BULB	3W	80lm	>80	360°	1500-1600K	E27	41	130	plastic
	55.8040	G4 LED	1.5W	100lm	>80	360°	2700-6500K	G4	10	37	Silicone
	55.8041	G4 1.5W	1.5W	120lm	>80	360°	2700-6500K	G4	12	37	Plastic
	55.8041	G4 2W	2W	160lm	>80	360°	2700-6500K	G4	12	45	Plastic
	55.8045	G4 LED	1.5W	100lm	>80	120°	2700-6500K	G4	11	33	PC+Aluminum
	55.8055-3W	G4 LED	3W	240lm	>80	360°	2700-6500K	G4	15	44	Ceramic
	55.8055-4W	G4 LED	4W	320lm	>80	360°	2700-6500K	G4	15	44	Ceramic
	55.8042-2.5W	G9 LED	2.5W	200lm	>80	360°	2700-6500K	G9	16	48	Plastic
	55.8042-4.5W	G9 LED	4.5W	350lm	>80	360°	2700-6400K	G4	16	60	Plastic
	55.8043-2W	G9 LED	2W	200lm	>80	360°	2700-6500K	G9	13	47	Glass
	55.8056-3.5W	G9 LED	3.5W	310lm	>80	360°	2700-6500K	G9	15	50	Ceramic
	55.8056-4.5W	G9 LED	4.5W	400lm	>80	360°	2700-6400K	G9	15	60	PC+Ceramic
	55.8057-6W	G9 LED	6W	500lm	>80	360°	2700-6500K	G9	15	60	PC+Ceramic
	55.8058-8W	G9 LED	8W	720lm	>80	360°	2700-6500K	G9	19	65	PC+Ceramic
	55.8058-10W	G9 LED	10W	1000lm	>80	360°	2700-6500K	G9	19	65	PC+Ceramic
	55.8597-8W	LED BULB 8W	8W	640lm	>80	360°	2700-6500K	E14	18	67	PC+Ceramic
	55.8597-10W	LED BULB 10W	10W	800lm	>80	360°	2700-6500K	E14	18	67	PC+Ceramic
	55.8595	LED REFRIGERATOR LAMP	1.8W	130lm	>80	240°	2700-6500K	E14	19	52	Plastic
	55.8596	LED REFRIGERATOR LAMP	3W	250lm	>80	240°	2700-6500K	E14	19	52	Plastic
	55.8092-12W	AR111 12W 12V	12W	1350lm	>80	45°	2700-6500K	G53	111	65	PC+Aluminum
	55.8092-15W	AR111 15W 12V	15W	1050lm	>80	45°	2700-6500K	G53	111	65	PC+Aluminum
	55.7098-12W	AR111 12W 12V	12W	1050lm	>80	45°	2700-6500K	GU10	111	65	PC+Aluminum
	55.7098-15W	AR111 15W 12V	15W	1350lm	>80	45°	2700-6500K	GU10	111	65	PC+Aluminum